



SPECIFICATION

Model No. : IMA.01

Part No. : **IMA.01.306111**

Product Name : External Iridium Marine Antenna

Feature : 1616MHz ~1626.5MHz
Custom cables and connectors available
RoHS ✓



Version	Date	Page	Revision Description	Prepared	Approved
A	May 26 th 2010	All	New product	TW Product Centre	Ronan Quinlan



Specification

I Introduction

The IMA.01 – Marine Antenna, delivers exceptional reception performance for permanent in-building or marine applications. This antenna is designed for free-air operation, no ground plane required.


II Specification

Parameter	Specification
Frequency Range	1616Mhz~1626.5Mhz
Centre Frequency	1621.5MHz \pm 5.25MHz
Bandwidth	29MHz min.
Impedance	50 Ohms
Polarization	RHCP
VSWR	1.5 Max (at centre frequency)
Connector	SMA(M)plug
Cable	RG-58U
Termination	Ag (Environmentally-Friendly PB Free)
Operation Temperature	-40°C to + 85°C
Storage Temperature	-40°C to + 85°C
Relative Humidity	40% to 95%
Dimensions	90*38*70mm




Specification

III Performance Measurement and Results







III Antenna Gain Chart



XZ-Plane



YZ-Plane



XY-Plane



IV Drawing

